ECG SIGNAL ANALYSIS AND PREDICTION OF HEART ATTACK WITH THE HELP OF OPTIMIZED NEURAL NETWORK

GADHARI KEERTHANA*, DR.M. SUCHARITHA**, DR. K. MALLIKARJUNA LINGAM***

PG SCHOLAR*, PROFESSOR**, PROFESSOR & HOD**

DEPARTMENT OF ECE, MALLA REDDY COLLEGE OF ENGINEERING AND TECHOLOGY, MAISAMMAGUDA, DULAPALLY, KOMPALLY, SECENDRABAD-500100

ABSTRACT:

Heart Attacks are the major cause of death in the world today, particularly in India. The need to predict this is a major necessity for improving the countries healthcare sector. Accurate and precise prediction of the heart disease mainly depends on Electrocardiogram (ECG) data. Heart disease is a major life threatening disease that cause to death and it has a serious long term disability. The time taken to recover from heart disease depends on patient's severity. Heart disease diagnosis is complex task which requires much experience and knowledge. Nowadays, health care industry contain huge amount of health care data, which contain hidden information. Advanced data mining techniques along with computer generated information are used for appropriate results. Neural Network is widely used tool for predicting heart attack. A Heart Attack Prediction System we are proposing with the help of Neural Network and Genetic Algorithm. This system calculates the number of hidden nodes for neural network which train the network with proper selection of neural network architecture and uses the global optimization of genetic algorithm for initialization of neural network.

I.INTRODUCTION

The electrocardiogram (ECG) is the most important bio signal used by cardiologists for diagnostic purposes. The ECG signal provides key information about the electrical activity of the heart. The heart signals are taken from ECG, which is known as Electrocardiography. That the heart signals are picked by using electrodes in arms, leg, chest of our body. By using this signal heart disorder can be find out. Depend on the shape of the ECG waveform, find out the cardiac health. ECG signal readings and their analysis are carried out from signal processing. Today signal processing plays a major role in ECG signal analysis and interpretation. The aim of ECG signal processing is diverse and comprises the Improvement of measurement accuracy and reproducibility (when compared with manual measurements) and by taking out the information is not readily available from the signal through visual assessment. ECG is composite from 5 waves - P, Q, R, S and T. This signal could be measured by electrodes

from human body in typical engagement [2]. In today's world, an optimal and intelligent problem solving approaches are required in every field, regardless of simple or complex problems. Researches and developers are trying to make machines and software's more efficient, intelligent and accurate. This is where the Artificial Intelligence plays its role in developing efficient and optimal solutions. Data mining techniques are used to explore, analyze and extract data using complex algorithms in order to discover unknown patterns in the process of knowledge discovery. Prediction is done with the help of available knowledge or previous values so accuracy in prediction is the main challenge. The artificial neural network (ANN) can use for pattern recognition, classification as well as prediction because it is based on biological neurons, an artificial neural network (ANN) is a self-adaptive trainable process that is able to learn to resolve complex problems based on available knowledge Genetic algorithm is one of most pervasive and advanced developed heuristic search technique in Artificial Intelligence.

LITERATURE REVIEW

Qian Zheng, Chao Chen, Zhinan Li (2013). A Novel Multi-Resolution SVM (MR-SVM) Algorithm to detectECG signals anomaly in WE-CARE project – Center for wireless communication and signal processing.

Cardiovascular disease (CVD) has become the leading cause of human deaths today. In order to combat this disease, many professionals are using mobile electrocardiogram (ECG) remote monitoring system. While using mobile ECG systems, most of the cardiac anomalies can be observed, especially when serious myocardial ischemia, heart failure, and malignant arrhythmia occur. Thus, ECG anomaly detection and analysis have attracted more and more attention in the clinical and research communities. Currently, the existing solutions of ECG automatic detection and analysis technologies are challenged by an accuracy requirement. Based on this motivation, we propose a novel Multi-Resolution Support Vector Machine (MR-SVM) algorithm to detect ECG waveform anomaly. This proposal is tested in our WE-CARE (a Wearable Efficient teleCARdiologysystEm) project.

Sarikal, P. and Wahidabanu, R. (2010). Robust R peak & QRS detection in electrocardiogram using wavelet transform (IJACSA) International Journal of Advanced Computer Science Applications, 1(6), 48-53. In this paper a robust R Peak and QRS detection using Wavelet Transform has been developed. Wavelet Transform provides efficient localization in both time and frequency. Discrete Wavelet Transform (DWT) has been used to extract relevant information from the ECG signal in order to perform classification. Electrocardiogram (ECG) signal feature parameters are the basis for signal Analysis, Diagnosis, Authentication

and Identification performance. These parameters can be extracted from the intervals and amplitudes of the signal. The first step in extracting ECG features starts from the exact detection of R Peak in the QRS Complex. The accuracy of the determined temporal locations of R Peak and QRS complex is essential for the performance of other ECG processing stages. Individuals can be identified once ECG signature is formulated. This is an initial work towards establishing that the ECG signal is a signature like fingerprint, retinal signature for any individual Identification. Analysis is carried out using MATLAB Software.

Qibin Zhao and LiqingZhan. (2005). ECG Feature Extraction and Classification Using Wavelet Transform andSupport Vector Machines, International Conference on Neural Networks and Brain, ICNN&B, vol. 2,pp. 1089-1092.

This paper presents a new approach to the feature extraction for reliable heart rhythm recognition. This system of classffication is comprised of three components including data preprocessing, feature extraction and classification of ECG signals. Two different feature extraction methods are applied together to obtain the feature vector of ECG data. The wavelet transform is used to extract the coefficients of the transform as the features of each ECG segment. Simultaneously, autoregressive modelling(AR) is also applied to obtain the temporal structures of ECG waveforms. Then the support vector machine(SVM) with Gaussian kernel is used to classify different ECG heart rhythm. Computer simulations are provided to verify the performance of the proposed method. From computer simulations, the overall accuracy of class The electrocardiogram (ECG) is routinely used in clinical practice, which describes the electrical activity of the heart. In physical checkups at hospitals, physicians record the ECG after the patient has exercised to check his/her cardiac condition. The Holter ECG device is used most frequently for recording the ECG. Physicians apply the device to a patient when they need to monitor his/her ECG to find the few abnormal cycles in the ECG throughout the day. Physicians then interpret the shapes of those waves and complexes. They calculate parameters to determine whether the ECG shows signs of cardiac disease or not. The parameters are the height and the interval of each wave, such as RR interval, PP interval, QT interval, and ST segment. Recognition of the fiducial points and calculations of the parameters is a tedious routine for the physician. Therefore, there is an urgent need for an automatic ECG recognition system to reduce the burden of interpreting the ECG. Various studies have been done for classification of various cardiac arrhythmias [1][2][3][4]. In this paper, we propose the combination of wavelet transform and AR model as the feature extraction method, then

use the SVM to classify the ECG heartbeat. The proposed approach is validated in the MIT-BIH Arrhythmia Database[5] and get high accuracy of classification. All ECG data were obtained from MIT-BIH arrhythmia database that contains records of many patients with heart troubles or abnormalities. The frequency of the ECG data was 360HZ. Each record has its respective annotation file that indicate the class of the heartbeat. A single channel ECG is collected and used to algorithm evaluation. Since there are few categories of abnormal QRS complexes in one record, we select different abnormal QRS complexes from several records. Six types of QRS complexes appeared frequently in the database. Therefore, we mainly deal with six types heartbeats which include normal beat(NORMAL), left bundle branch block beat(LBBB), right bundle branch block beat(RBBB), paced beat(PACE), premature ventricular contraction(PVC) and atrial premature contraction(APC). In the data preprocessing process, continuous ECG signals must be separated into many segments which contain one heartbeat. The extracted data of ECG complexes is centered around R peak. Considered that some PVC duration is great and sometimes R peak detection may be not the center of the complex, we have selected segment of 250ms before the fiducial point and 400ms after that with the R peak point is the 90th point. The R peak is detected using the Pan and Tompkins algorithm[6].

SYSTEM OVERVIEW

From the above literature survey we have concluded that heart activity is very important in health care monitoring system. And it is done through the ECG signals. Different machine learning algorithms were used for predicting the heart diseases as well as heart attack. The all research is done using MATLAB tool.

PROPOSED SYSTEM ARCHITECTURE

- **Raw Data** ECG normal and abnormal signal dataset for male and female taken from MIT-BIH arrhythmia dataset that is raw ECG data take it for further process.
- **Data Selection** This includes operations involved the selecting of either normal or abnormal ECG signal data for further process.
- **Data Preprocessing** This includes operations applied to the data to prepare it for further analysis. Typical pre-processing operations include data cleaning to filter out noisy data elements, data interpolation to cope with missing values, data normalization to cope with heterogeneous sources, temporal alignment, and data formatting.
- **Feature Extraction** This includes operations for representing the data appropriately and selecting specific

features from this representation. This stage is often called feature extraction and selection



Fig : Proposed System Architecture

- **Optimized Neural Network Model** This stage, also called mining applies knowledge discovery algorithms to identify patterns in the data. Modeling problems can be classified into six broad categories: anomaly detection to identify statistically deviant data, association rules to find dependencies and correlations in the data, clustering models to group data elements according to various notions of similarity, classification models to group data elements into predefined classes, regression models to fit mathematical functions to data and summarization models to summarize or compress data into interesting pieces of information. Here, we are applying Optimized neural network using GA for classification and prediction of heart Attack.
- **Pattern Identification:** In this stage system identify the pattern of normal ECG dataset as well as abnormal ECG dataset for the analysis and prediction purpose.
- **Analysis and Prediction:** This stage includes operations for analysis and prediction of the results of the pattern Identification process

RESULT:



Fig: Predicting Heart Disease



Fig :Ecg Signal Analysis

CONCLUSION AND FUTURE WORK

The ECG is mainly used for diagnosis of heart disease. Genetic Algorithm is used to optimize the initialization of neural network weights. Genetic Neural Network based prediction of heart disease for patient by improving the performance using optimize neural network architecture and predicts whether the patient is suffering from heart disease or not. Also find out possibilities of heart attack based on heart

activities. Back propagation is having disadvantage like slow convergence, long training time and local minima. Genetic algorithm is use to solve this problem and gives optimal result as well as get accuracy to predict heart attack. As the healthcare domain is dynamic and this issue is a challenge to the data mining. It is also a forcing motivation to the data mining applications in healthcare. This dynamism gives way to new horizons and more data mining applications will be employed to discover new patterns and associations. In the view of the subjects examined in this study, future data mining studies seem to take place, not limited but in considerable weight, in distributed data mining applications and text mining algorithms. With the help of data mining algorithms, the classification performance increases. This can be further enhanced and expanded with more prediction algorithm for major life threatening diseases. The further enhancement observes on utilizing different method that provides higher accuracy in feature extraction and classification

REFERENCES

[1] D. K. Ravish, Nayana R Shenoy, Dr.K.J.Shanthi, S.Nisargh, "Heart Function Monitoring, Prediction and Prevention of Heart Attacks: Using Artificial Neural Networks", IEEE-2014 International Conference on Contemporary Computing and Informatics (IC3I).

[2] J. P. Kelwade, S. S. Salankar, "Prediction of Cardiac Arrhythmia using Artificial Neural Network", International Journal of Computer Applications (0975 8887) Volume 115 No. 20, April 2015.

[3] Poonam Sao, Rajendra Hegadi, Sanjeev Karmakarl, "ECG Signal Analysis Using Artificial Neural Network", International Journal of Science and Research (IJSR)- 2013.

[4] Masanao Nakano, Toshihiro Konishi, Shintaro Izumi, Hiroshi Kawaguchi, Masahiko Yoshimoto, Instantaneous "Heart Rate Detection Using Short-Time Autocorrelation for Wearable Healthcare Systems", 34th Annual International Conference of the IEEE EMBS- 2012.

[5] Dimitra Azariadi, Vasileios Tsoutsouras, Sotirios Xydis, Dimitrios Soudris, "ECG Signal Analysis and Arrhythmia Detection on IoT wearable medical devices", IEEE- 2016 5th International Conference on Modern Circuits and Systems Technologies (MOCAST).

[6] Medina Hadjem, Osman Salem, Farid Nat-Abdesselam, "An ECG Monitoring System For Prediction Of Cardiac Anomalies Using WBAN", IEEE-2014 16th International Conference on e-Health Networking, Applications and Services (Healthcom).

[7] Dayong Gao, Michael Madden, Michael Schukat, Des Chambers, Gerard Lyons, "Arrhythmia Identification from ECG Signals with a Neural Network Classifier Based on a Bayesian Framework", 2009.

[8] NeerajkumarSathawane, Pravin Kshirsagar, "Prediction and analysis of ECG signal behavior using soft computing", IMPACT: International Journal of Research in Engineering and Technology (IMPACT: IJRET)-2014.

[9] M.A Chikh, N. Belgacem, F. Bereksi Reguig, "The Use of Artificial Neural Network to Detect the Premature Ventricular Contraction (PVC) Beats", 2010.

[10] Tsu-Wang. Shen, Hsiao-Ping Shen,Ching-Heng Lin, "Detection and Prediction of Sudden Cardiac Death (SCD) For Personal Healthcare" , Proceedings of the 29th Annual International Conference of the IEEE EMBS-2007.

[11] Bhuvaneswari Amma N.G., "Cardiovascular Disease Prediction System using Genetic Algorithm and Neural Network", International Conference on Computing, Communication and Applications .IEEE-2012.

[12] Nilakshi P. Waghulde, Nilima P. Patil, "Genetic Neural Approach for Heart Disease Prediction", International Journal of Advanced Computer Research Volume-4 Number-3 Issue-16 September-2014.

[13] Warsuzarina Mat Jubadi, Siti Faridatul Aisyah Mohd Sahak, "Heartbeat Monitoring Alert via SMS" 2009 IEEE Symposium on Industrial Electronics and Applications (ISIEA 2009), October 4-6, 2009, Kuala Lumpur, Malaysia.

[14] Purnima, Puneet Singh, "Zigbee and GSM Based Patient Health Monitoring System", Interntional Conference on Electronics and Communication System (IECS -2014).

[15] Nisha singh, Sr. Asst. Prof. Ravi Mishra, "Microcontroller Based Wireless Temperature and Heart Beat ReadOut", IOSR Journal of Engineering (IOSRJEN), (Jan. 2013), PP 01 -06.