

FINDING EFFECTIVE DATA UTILITY THROUGH GRAPHICAL REPRESENTATION

Dr. Edi Laxmi¹ Mr. Sumit Kumar Mishra²Department of Computer Science & Engineering'Raajdhanni Engineering College

ABSTRACT:

Lately security safeguarding miniature information distributing has acquired wide fame. Various anonymization procedures are utilized, in particular speculation, bucketization and cutting are intended for protection saving miniature information distributing. In speculation loses colossal measure of data, exceptionally for high-layered information. In Bucketization, doesn't safeguard participation uncovering and doesn't uphold for information clear partition between semi recognizing properties and delicate qualities. In cutting, this segments the information both on a level plane and in an upward direction. We show that cutting jelly preferred information utility over speculation and can be utilized for enrollment uncovering assurance. Be that as it may, it stays an open issue on the most proficient method to utilize the anonymized information. To tackle this issue Graphical portrayal strategy is utilized to effective information usage and information mining is approached.

Keywords: Privacy preservation, data anonymization, data publishing, data Utilization.

INTRODUCTION PRIVACY-PRESERVING

Publishing of Microdata

Micro data each records contains information about individual information, such as a person, a household, or an organization. Numerous micro data anonymization techniques have been proposed. The most notorious ones are generalization, for k-anonymity and bucketization, for diversity. In both approaches, attributes are distributed into threecategories:

- Some attributes are identifiers that can uniquely identify an individual, such as Name or Social SecurityNumber;
- Some attributes are Quasi Identifiers (QI), which the adversary may already know (possibly from other publicly available databases) and which, when taken together, can potentially identify an individual, e.g., Birth date, Sex, and Zip code, Route ,Disease, Animalreservoir;
- Some attributes are Sensitive Attributes (SAs), which are unknown to the adversary and are considered sensitive, such as Disease and Salary. The two techniques differ in the next step. Generalization transforms the QI-values in each bucket into "less specific but semantically consistent" values so that tuples in the same bucket cannot be distinguished by their QIvalues.

MOTIVATION OF SLICING - K-ANONYMITY

First, generalization for k-anonymity suffers from the curseof dimensionality. In order for generalization to be effective, records in the same bucket must be close to each other so that generalizing the records would not lose too much information. However, in high dimensional data, most data points have similar distances with each other, forcing a great amount of generalization to satisfy k-anonymity even for relatively small k's. Second, in order to perform data analysis or data mining tasks on the generalized table, the data analyst has to make the uniform distribution assumption that every value in a generalized interval/set is equally possible, as no other distribution assumption can be justified. his significantly reduces the data utility of the generalized data. Third, because each attribute is generalized separately, correlations between different attributes are lost. In order to study attribute correlations on the generalized table, the data analyst has to assume that every possible combination of attribute values is equallypossible.

BUCKETIZATION

Bucketization has better data utility than generalization, it has several limitations. First, bucketization does not prevent membership disclosure. Because bucketization publishes the QI values in their original forms, an adversary can find out whether an individual has a record in the published data or not. A micro data (e.g.,

census data) usually contains many other attributes besides those three attributes. This means that the membership information of most individuals can be inferred from the bucketized table. Second, bucketization requires a clear separation between QIs and SAs. However, in many data sets, it is unclear which attributes are QIs and which are SAs. Third, by separating the sensitive attribute from the QI attributes, bucketization breaks the attribute correlations between the QIs and the SAs.

LITERATURE SURVEY

The Cost of Privacy: Destruction of Data-Mining Utility in Anonymized Data Publishing Many privacy protection algorithms rely on generalization and suppression of “quasi-identifier” attributes such as ZIP code and birthdate. Their objective is usually syntactic sanitization: for example, k -anonymity requires that each “quasi-identifier” tuple appear in at least k records, while ℓ -diversity requires that the distribution of sensitive attributes for each quasi-identifier have high entropy. The utility of sanitized data is also measured syntactically, by the number of generalization steps applied or the number of records with the same quasi-identifier.

On the Anonymization of Sparse High-Dimensional Data The objective is to enforce privacy-preserving paradigms, such as k -anonymity and ℓ -diversity, while minimizing the information loss incurred in the anonymizing process (i.e. maximize data utility). However, existing techniques adopt an indexing- or clustering based approach, and work well for fixed-schema data, with low dimensionality. Nevertheless, certain applications require privacy-preserving publishing of transaction data (or basket data), which involves hundreds or even thousands of dimensions, rendering existing methods unusable. We employ a particular representation that captures the correlation in the underlying data, and facilitates the formation of anonymized groups with low information loss. We propose an efficient anonymization algorithm based on this representation.

Modeling and Integrating Background Knowledge in Data Anonymization The importance of considering the adversary’s background knowledge when reasoning about privacy in data publishing. However, it is very difficult for the data publisher to know exactly the adversary’s background knowledge. Existing work cannot satisfactorily model background knowledge and reason about privacy in the presence of such knowledge. This paper presents a general framework for modeling the adversary’s background knowledge using kernel estimation methods. This framework subsumes different types of knowledge (e.g., negative association rules) that can be mined from the data. Under this framework, we reason about privacy using Bayesian inference techniques and propose the skyline (B, t) -privacy model, which allows the data publisher to enforce privacy requirements to protect the data against adversaries with different levels of background knowledge.

Using Anonymized Data for Classification In recent years, anonymization methods have emerged as an important tool to preserve individual privacy when releasing privacy sensitive data sets. This interest in anonymization techniques has resulted in a plethora of methods for anonymizing data under different privacy and utility assumptions. At the same time, there has been little research addressing how to effectively use the anonymized data for data mining in general and for distributed data mining in particular. A new approach for building classifiers using anonymized data by modeling anonymized data as uncertain data. We do not assume any probability distribution over the data. Instead, we propose collecting all necessary statistics during anonymization and releasing these together with the anonymized data. We show that releasing such statistics does not violate anonymity. Experiments spanning various alternatives both in local and distributed data mining settings reveal that our method performs better than heuristic approaches for handling anonymized data.

T-Closeness: Privacy Beyond k -Anonymity and ℓ -Diversity The k -anonymity privacy requirement for publishing microdata requires that each equivalence class (i.e., a set of records that are indistinguishable from each other with respect to certain “identifying” attributes) contains at least k records. Recently, several authors have recognized that k -anonymity cannot prevent attribute disclosure. The notion of

l-diversity has been proposed to address this; l-diversity requires that each equivalence class has at least l well-represented values for each sensitive attribute. We propose a novel privacy notion called t-closeness, which requires that the distribution of a sensitive attribute in any equivalence class is close to the distribution of the attribute in the overall table (i.e., the distance between the two distributions should be no more than a threshold t). We choose to use the earth mover distance measure for our t-closeness requirement. We discuss the rationale for t-closeness and illustrate its advantages through examples and experiments.

Injector: Mining Background Knowledge for Data Anonymization existing work on privacy-preserving data publishing cannot satisfactorily prevent an adversary with background knowledge from learning important sensitive information. The main challenge lies in modeling the adversary's background knowledge. We propose a novel approach to deal with such attacks. In this approach, one first mines knowledge from the data to be released and then uses the mining results as the background knowledge when anonymizing the data. The rationale of our approach is that if certain facts or background knowledge exist, they should manifest themselves in the data and we should be able to find them using data mining techniques. One intriguing aspect of our approach is that one can argue that it improves both privacy and utility at the same time, as it both protects against background knowledge attacks and better preserves the features in the data.

I. DESIGN AND IMPLEMENTATION

The basic idea of slicing is to break the association across columns, but to preserve the association within each column. This reduces the dimensionality of the data and preserves better utility than generalization and bucketization. Slicing preserves utility because it groups highly correlated attributes together, and preserves the correlations between such attributes. Slicing protects privacy because it breaks the associations between uncorrelated attributes, which are infrequent and thus identifying. Note that when the data set contains QIs and one SA, bucketization has to break their correlation; slicing, on the other hand, can group some QI attributes with the SA, preserving attribute correlations with the sensitive attribute. Slicing first partitions attributes into columns. Each column contains a subset of attributes. This vertically partitions the table. Slicing also partitions tuples into buckets. Each bucket contains a subset of tuples. This horizontally partitions the table. Within each bucket, values in each column are randomly permuted to break the linking between different columns.

Slicing preserves more information than such a local recoding approach, assuming that the same tuple partition is used. We achieve this by showing that slicing is better than the following enhancement of the local recoding approach. Rather than using a generalized value to replace more specific attribute values, one uses the multiset of exact values in each bucket. In slicing, one groups correlated attributes together in one column and preserves their correlation.

Another important advantage of slicing is its ability to handle high-dimensional data. By partitioning attributes into columns, slicing reduces the dimensionality of the data. Each column of the table can be viewed as a sub-table with a lower dimensionality. The idea of slicing is to achieve a better trade-off between privacy and utility by preserving correlations between highly correlated attributes and breaking correlations between uncorrelated attributes.

Privacy Threats

When publishing microdata, there are three types of privacy disclosure threats.

- Membership disclosure
- Identity disclosure
- Attribute disclosure

MEMBERSHIP DISCLOSURE

When the data set to be published is selected from a large population and the selection criteria are sensitive (e.g., only diabetes patients are selected), one needs to prevent adversaries from learning whether one's record is included in the published data set.

IDENTITY DISCLOSURE

Identity disclosure occurs when an individual is linked to a particular record in the released table. In some

situations, one wants to protect against identity disclosure when the adversary is uncertain of membership. In this case, protection against membership disclosure helps protect against identity disclosure. In other situations, some adversary may already know that an individual’s record is in the published data set, in which case, membership disclosure protection either does not apply or is insufficient.

ATTRIBUTE DISCLOSURE

Attribute disclosure, occurs when new information about some individuals is revealed, i.e., the released data make it possible to infer the attributes of an individual more accurately than it would be possible before the release. Similar to the case of identity disclosure, we need to consider adversaries who already know the membership information. Identity disclosure leads to attribute disclosure. Once there is identity disclosure, an individual is reidentified and the corresponding sensitive value is revealed. Attribute disclosure can occur with or without identity disclosure, e.g., when the sensitive values of all matching tuples are the same.

SLICING ALGORITHMS

- AttributePartitioning
- ColumnGeneralization
- TuplePartitioning

Attribute Partitioning

This algorithm partitions attributes so that highly correlated attributes are in the same column. This is good for both utility and privacy. In terms of data utility, grouping highly correlated attributes preserves the correlations among those attributes. In terms of privacy, the association of uncorrelated attributes presents higher identification risks than the association of highly correlated attributes because the association of uncorrelated attributes values is much less frequent and thus more identifiable. Therefore, it is better to break the associations between uncorrelated attributes, in order to protect privacy.

Column Generalization

Tuples are generalized to satisfy some minimal frequency requirement. Bucketization provides the same level of privacy protection as generalization, with respect to attribute disclosure. Although column generalization is not a required phase, it can be useful in several aspects.

- Column generalization may be required for identity/membership disclosure protection. If a column value is unique in a column (i.e., the column value appears only once in the column), a tuple with this unique column value can only have one matching bucket.
- When column generalization is applied, to achieve the same level of privacy against attribute disclosure, bucket sizes can be smaller. While column generalization may result in information loss, smaller bucket-sizes allow better data utility.

Tuple Partitioning The main part of the tuple-partition algorithm is to check whether a sliced table satisfies L- diversity. For each tuple t, the algorithm maintains a list of statistics L[t] about t’s matching buckets. Each element in the list L[t] contains statistics about one matching bucket B: the matching probability p(t,B) and the distribution of candidate sensitive values D(t,B).

MODULES DESCRIPTION




Figure 3.1 - Architecture Diagram

DATASET EXTRACTION: The dataset extraction module can be used to extract the dataset and it will be stored in the database for future use. Initially the dataset was selected, after that it will be split separate data and it can be stored in the table to the userdatabase.

GENERALIZATION: Generalization module performs 2-anonymity process. In generalization approach we use the identifiers data and Quasi Identifiers. Here the attribute age is Identifiers, and gender is Quasi Identifiers. The generalization data can be retrieved from an original data. The dataset data's are stored into twobuckets.

BUCKETIZATION: Bucketization module can be performs 2-diversity process. In generalization approach we use the Quasi Identifiers. Here the attribute work class is attribute. The bucketization data can be retrieved from an original data. The dataset data's are stored into two buckets.

MULTI-SET GENERALIZATION: Multi-set generalization module performs 2-anonymity process. In multi-set generalization approach we use the identifiers data and Quasi Identifiers. Here the attribute age is Identifiers, and gender, work class are Quasi Identifiers. The multi-set generalization data can be retrieved from an original data. The dataset data's are stored into two buckets.

SLICING: Slicing partitions the data set both vertically and horizontally. Slicing preserves better data utility than generalization and can be used for membership disclosure protection. Here we using the following sub modules,

- Attribute partition andColumns
- Tuple Partition and Buckets
- Slicing
- ColumnGeneralization
- MatchingBuckets

GRAPH GENERATION:

Graph generation module can be used to find the classification accuracy between Original data, Generalization, Bucketization and Slicing. Slicing shows better accuracy than generalization. When the target attribute is the sensitive attribute, slicing even performs better than bucketization.

II.

RESULT

Age	Sex	Zipcode	DiseaseName	RouteUse	Disease
35	M	60003	alser	Skin contact	
35	F	625830	tb	Skin contact	
52	M	600024	dengue	Transplacental	
24	M	600021	Cancer	Skin contact	
48	M	600021	Cancer	Animla bite	Chimpanzees, monkeys
64	M	600021	alser	Transplacental	Chimpanzees, monkeys
39	F	600021	cough	Animla bite	
34	F	600021	Cancer	Transplacental	Chimpanzees, monkeys
28	M	600021	malaria	Skin contact	
21	M	600021	jandice	Animla bite	Birds, pigs, horses
26	M	600021	Cancer	Skin contact	
33	M	600021	hernia	Animla bite	
50	F	600021	piles	Skin contact	Birds, pigs, horses
22	M	600021	asthma	Animla bite	

Figure 4.1- Original Data

Age	Sex	Zipcode	Disease	RouteUse	ActualDisease
0-30	*	6000*	Cancer	Skin contact	
0-30	*	6000*	HIV	Animla bite	Chimpanzees, monkeys
0-30	*	6000*	jandice	Animla bite	Birds, pigs, horses
0-30	*	6000*	malaria	Skin contact	
0-30	*	6000*	skin disease	Transplacental	
31-60	*	6000*	alser	Skin contact	
31-60	*	6000*	alser	Transplacental	Chimpanzees, monkeys
31-60	*	6000*	Cancer	Animla bite	Chimpanzees, monkeys
31-60	*	6000*	Cancer	Skin contact	
31-60	*	6000*	Cancer	Transplacental	Chimpanzees, monkeys
31-60	*	6000*	cough	Animla bite	
31-60	*	6000*	dengue	Transplacental	
31-60	*	6000*	heart attack	Facial-oral	Chimpanzees, monkeys
31-60	*	6000*	hernia	Animla bite	
31-60	*	6000*	piles	Skin contact	Birds, pigs, horses
31-60	*	6258*	tb	Skin contact	
61-100	*	6000*	asthma	Animla bite	

Figure 4.2- Generalized Data




Figure 4.3- Generalized Graph

The screenshot displays a table titled 'MultiSet Based Generalization'. The table has six columns: Age, Sex, ZipCode, DiseaseName, Route, and AnimalBreed. The data is organized into rows, with some rows containing long strings of numbers representing age ranges. The table includes various disease names and animal breeds.

Age	Sex	ZipCode	DiseaseName	Route	AnimalBreed
15:1,21:26:1,27:1,28:1,33:1,34:1,35:2,39:1,40:1,44:1,48:1,52:1,54:1,55:1,66:1,70:1,72,2,81:1,90:1,93:1,97:1,98:1	F	600003:1,600021:22,600024:1,625830:1	aler	Skin contact	
15:1,21:26:1,27:1,28:1,33:1,34:1,35:2,39:1,40:1,44:1,48:1,52:1,54:1,55:1,66:1,70:1,72,2,81:1,90:1,93:1,97:1,98:1	F	600003:1,600021:22,600024:1,625830:1	th	Skin contact	
15:1,21:26:1,27:1,28:1,33:1,34:1,35:2,39:1,40:1,44:1,48:1,52:1,54:1,55:1,66:1,70:1,72,2,81:1,90:1,93:1,97:1,98:1	F	600003:1,600021:22,600024:1,625830:1	dengue	Transplacental	
15:1,21:26:1,27:1,28:1,33:1,34:1,35:2,39:1,40:1,44:1,48:1,52:1,54:1,55:1,66:1,70:1,72,2,81:1,90:1,93:1,97:1,98:1	F	600003:1,600021:22,600024:1,625830:1	Cancer	Skin contact	
15:1,21:26:1,27:1,28:1,33:1,34:1,35:2,39:1,40:1,44:1,48:1,52:1,54:1,55:1,66:1,70:1,72,2,81:1,90:1,93:1,97:1,98:1	F	600003:1,600021:22,600024:1,625830:1	Cancer	Armita bite	Chimpanzees, monkeys
15:1,21:26:1,27:1,28:1,33:1,34:1,35:2,39:1,40:1,44:1,48:1,52:1,54:1,55:1,66:1,70:1,72,2,81:1,90:1,93:1,97:1,98:1	F	600003:1,600021:22,600024:1,625830:1	aler	Transplacental	Chimpanzees, monkeys
15:1,21:26:1,27:1,28:1,33:1,34:1,35:2,39:1,40:1,44:1,48:1,52:1,54:1,55:1,66:1,70:1,72,2,81:1,90:1,93:1,97:1,98:1	F	600003:1,600021:22,600024:1,625830:1	cough	Armita bite	
15:1,21:26:1,27:1,28:1,33:1,34:1,35:2,39:1,40:1,44:1,48:1,52:1,54:1,55:1,66:1,70:1,72,2,81:1,90:1,93:1,97:1,98:1	F	600003:1,600021:22,600024:1,625830:1	Cancer	Transplacental	Chimpanzees, monkeys
15:1,21:26:1,27:1,28:1,33:1,34:1,35:2,39:1,40:1,44:1,48:1,52:1,54:1,55:1,66:1,70:1,72,2,81:1,90:1,93:1,97:1,98:1	F	600003:1,600021:22,600024:1,625830:1	malaria	Skin contact	
15:1,21:26:1,27:1,28:1,33:1,34:1,35:2,39:1,40:1,44:1,48:1,52:1,54:1,55:1,66:1,70:1,72,2,81:1,90:1,93:1,97:1,98:1	F	600003:1,600021:22,600024:1,625830:1	jandica	Armita bite	Birds, pigs, h...

Figure 4.4- MultiSetTable




Figure 4.5- MultiSetGraph

The screenshot displays a table titled 'One Attribute per Column Slicing'. The table has six columns: Age, Sex, ZipCode, Disease, Route, and AnimalBreed. The data is organized into rows, with each row representing a specific attribute value for each column.

Age	Sex	ZipCode	Disease	Route	AnimalBreed
35	ME	600003	aler	Skin contact	
38	F	600003	th	Skin contact	
52	ME	600024	deng	Transplacental	
54	ME	600023	Canc	Skin contact	
48	ME	600021	Canc	Armita bite	Chimpanzees, monkeys
44	ME	600021	aler	Transplacental	Chimpanzees, monkeys
39	F	600023	coug	Armita bite	
34	F	600021	Canc	Transplacental	Chimpanzees, monkeys
28	ME	600023	male	Skin contact	
23	ME	600023	jand	Armita bite	Birds, pigs, horses
26	ME	600023	Canc	Skin contact	
33	ME	600023	hern	Armita bite	
35	F	600003	ale	Skin contact	Birds, pigs, horses

Figure 4.6- One attribute per column




Figure 4.7- One attribute per column Graph

Age_Sex	Epidemic_Disease	Etiology	Animal/Reservoir
35,M	600003_alber	Skin contact	
35,F	625830_sb	Skin contact	
52,M	600024_dengue	Transplacental	
54,M	600021_Cancer	Skin contact	
48,M	600021_Cancer	Animal bite	Chimpanzees, monkeys
44,M	600021_alber	Transplacental	Chimpanzees, monkeys
36,F	600022_zougi	Animal bite	
34,F	600021_Cancer	Transplacental	Chimpanzees, monkeys
28,M	600022_malaria	Skin contact	
21,M	600021_gandca	Animal bite	Birds, pigs, horses
26,M	600021_Cancer	Skin contact	
33,M	600022_herisa	Animal bite	
55,F	600021_alber	Skin contact	Birds, pigs, horses

Figure 4.8- SlicedTable



Figure 4.9- SlicedGraph

III. CONCLUSION

The limitations of generalization and bucketization and preserves better utility while protecting against privacy threats. Slicing is used to prevent attribute disclosure and membership disclosure. Slicing preserves better data utility than generalization and is more effective than bucketization in workloads involving the sensitive attribute. The general methodology proposed by this work is that: before anonymizing the data, one can analyze the data characteristics and use these characteristics in data anonymization. The rationale is that one can design better data anonymization techniques when we know the data better.

Future Enhancement

Different number of anonymization methods have been planned; it stays an open issue on the most proficient method to utilize the anonymized information. In our tests, we haphazardly create the relationship between section upsides of a can. This might lose information utility. Another course is to plan information mining assignments utilizing the anonymized information registered by different anonymization strategies..

REFERENCE

[1] C. Aggarwal, "On k-Anonymity and the Curse of Dimensionality," Proc. Int'l Conf. Very Large Data Bases (VLDB), pp.901-909,2005.

- [2] A. Blum, C. Dwork, F. McSherry, and K. Nissim, "Practical Privacy: The SULQ Framework," Proc. ACM Symp. Principles of Database Systems (PODS), pp. 128-138, 2005.
- [3] J. Brickell and V. Shmatikov, "The Cost of Privacy: Destruction of Data-Mining Utility in Anonymized Data Publishing," Proc. ACM SIGKDD Int'l Conf. Knowledge Discovery and Data Mining (KDD), pp. 70-78, 2008.
- [4] B.-C. Chen, K. LeFevre, and R. Ramakrishnan, "Privacy Skyline: Privacy with Multidimensional Adversarial Knowledge," Proc.Int'l Conf. Very Large Data Bases (VLDB), pp. 770-781,2007.
- [5] H. Cramt'er, Mathematical Methods of Statistics. Princeton Univ. Press,1948.
- [6] I. Dinur and K. Nissim, "Revealing Information while Preserving Privacy," Proc. ACM Symp. Principles of Database Systems (PODS),pp. 202-210,2003
- [7] C. Dwork, "Differential Privacy," Proc. Int'l Colloquium Automata, Languages and Programming (ICALP), pp. 1-12,2006.